



E - SERIES FLOOR STANDING CABINET


32 U RACKS

Available Dimension

32U	600 x 600
32U	600 x 800
32U	600 x 1000
32U	800 x 800
32U	800 x 1000



- 1.Top panel with cable entry.
- 2.Fan unit of 4 fans.
- 3.Split perforated rear door
- 4.Single Perforated rear door
- 5.19 inch Profile for side panels
- 6.Round lock for side panel
- 7.Quick-Release sides panels
- 8.Cable Entry on bottom panel
- 9.Castor
- 10.Stabilizer kit
- 11.Glass Door
- 12.Split Perforated front door
- 13.Single perforated front door



E - SERIES FLOOR STANDING CABINET

PHYSICAL CHARACTERS

Series	:- E - Series
Type	:- Free Standing
Protection Rating	:- IP 20
Material	:- SPCC quality cold rolled steel
Surface Finish	:- Degrease acid pickling, rust prevention and Parkerizing, Pure water cleaning, static electricity painting over Powder coating durable.
Color	:- Black (RAL 9005) or Grey (RAL 7035)
Width	:- 600mm & 800mm
Depth	:- 600, 800 and 1000 mm
Height	:- 32U
Frame Type	:- Welded rigid frame
Construction	:- 1.2 to 2.0 mm gauge steel thickness
Profile	:- 19" adjustable heavy duty profile in the front and rear.
Profile Standard	:- 2.0 mm gauge heavy duty Universal/EIA type.
Front Door	:- 180 degree opening type tempered Glass door/ metal Perforated single or double door with swing cam lock
Side Panels	:- Clutch opening type side panels with round lock system
Rear Door	:- 180 degree opening type steel plane door/ metal Perforated single or double door with round lock
Cable Access	:- Top and Bottom cable entry
Accessories:-	
Cooling Fan	:- 1 unit of 2 fans or 4 fans roof mount type, noiseless.
Cable Management	:- Vertical cable management system for 800mm wide racks
Shelves	:- Fixed shelf, Sliding shelf and cantilever shelves.
Castors	:- Heavy duty castors with stopper system
Leveling Feet	:- 4 pcs leveling feet in addition to castors
Plinth	:- 100mm heavy duty plinth with cable access provisions.
Cage nuts	:- Heavy duty cage nuts of 25 pcs set.
Power Unit	:- UK/Universal type power distribution unit(4,6,10,12 way)



E - SERIES FLOOR STANDING CABINET

ORDERING INFORMATION

PRODUCT INFO	PART NO	DIMENSION			APPLICATION	LOADING CAPACITY
		Width	Depth	Height		
AV -3266	AVE- F3266-16B	600	600	1600	Network/AV	200-300kg
AV-3268	AVE- F3268-16B	600	800	1600	Network/AV	300-500kg
AV-3261	AVE- F3261-16B	600	1000	1600	Server	400-700kg
AV-3288	AVE- F3288-16B	800	800	1600	Network/Server	400-700kg
AV-3281	AVE- F3281-16B	800	1000	1600	Network/Server	500-800kg

Standard Feature : Front Glass , Rear Steel Door , 4 Fans , 4 Castors

Perforated Doors For Cabinet

PRD	Perforated Double Front Door & Perforated Single Rear Door
PRSR	Perforated Single Front & Rear Door
PRDD	Perforated Double Front & Rear Door
PRSD	Perforated Single Front & Double Rear
GPR	Glass Front Door & Single Perforated Rear Door
GPDR	Glass Front Door & Double Perforated Rear Door
PRDS	Perforated Double Front Door & Rear Steel Door
PRSS	Perforated Single Front Door & Rear Steel Door

