



E - SERIES FLOOR STANDING CABINET


42 U RACKS

Available Dimension

42U	600 x 600
42U	600 x 800
42U	600 x 1000
42U	800 x 800
42U	800 x 1000



1. Top panel with cable entry.
2. Fan unit of 4 fans.
3. Split perforated rear door
4. Single Perforated rear door
5. 19 inch Profile for side panels
6. Round lock for side panel
7. Quick-Release sides panels
8. Cable Entry on bottom panel
9. Castor
10. Stabilizer kit
11. Glass Door
12. Split Perforated front door
13. Single perforated front door





E - SERIES FLOOR STANDING CABINET

42 U RACKS

PHYSICAL CHARACTERS

Series	:- E - Series
Type	:- Free Standing
Protection Rating	:- IP 20
Material	:- SPCC quality cold rolled steel
Surface Finish	:- Degrease acid pickling, rust prevention and parkerizing, pure water cleaning, static electricity painting over powder coating durable.
Color	:- Black (RAL 9005) or Grey (RAL 7035)
Width	:- 600mm & 800mm
Depth	:- 600, 800 and 1000 mm
Height	:- 42U
Frame Type	:- Welded rigid frame
Construction	:- 1.2 to 2.0 mm gauge steel thickness
Profile	:- 19" adjustable heavy duty profile in the front and rear.
Profile Standard	:- 2.0 mm gauge heavy duty Universal/EIA type.
Front Door	:- 180 degree opening type tempered Glass door/ metal perforated single or double door with swing cam lock
Side Panels	:- Clutch opening type side panels with round lock system
Rear Door	:- 180 degree opening type steel plane door/ metal perforated single or double door with round lock
Cable Access	:- Top and Bottom cable entry
Accessories:-	
Cooling Fan	:- 1 unit of 2 fans or 4 fans roof mount type, noiseless.
Cable Management	:- Vertical cable management system for 800mm wide racks
Shelves	:- Fixed shelf, Sliding shelf and cantilever shelves.
Castors	:- Heavy duty castors with stopper system
Leveling Feet	:- 4 pcs leveling feet in addition to castors
Plinth	:- 100mm heavy duty plinth with cable access provisions.
Cage nuts	:- Heavy duty cage nuts of 25 pcs set.
Power Unit	:- UK/Universal type power distribution unit(4,6,10,12 way)



E - SERIES FLOOR STANDING CABINET

42 U RACKS

ORDERING INFORMATION

PRODUCT INFO	PART NO	DIMENSION			APPLICATION	LOADING CAPACITY
		Width	Depth	Height		
AV-4266	AVE- F4266-20B	600	600	2000	Network/AV	200-300kg
AV-4268	AVE- F4268-20B	600	800	2000	Network/AV	300-500kg
AV-4261	AVE- F4261-20B	600	1000	2000	Server	400-700kg
AV-4288	AVE- F4288-20B	800	800	2000	Network/Server	400-700kg
AV-4281	AVE- F4281-20B	800	1000	2000	Network/Server	500-800kg

Standard Feature : Front Glass , Rear Steel Door , 4 Fans , 4 Castors

Perforated Doors For Cabinet

PRD	Perforated Double Front Door & Perforated Single Rear Door
PRSR	Perforated Single Front & Rear Door
PRDD	Perforated Double Front & Rear Door
PRSD	Perforated Single Front & Double Rear
GPR	Glass Front Door & Single Perforated Rear Door
GPDR	Glass Front Door & Double Perforated Rear Door
PRDS	Perforated Double Front Door & Rear Steel Door
PRSS	Perforated Single Front Door & Rear Steel Door

